



Dimensions

C :	4970 mm	W :	2416 mm	B :	2250 mm	H2 :	1980mm	L :	5884 mm
H1 :	2380 mm	F :	0 mm	E :	0 mm	B1:	0 mm	A :	400 mm
K	0 mm	Y	2250 mm	ØDin :	2x 139,7 [5"]	ØDout :	2 x 139,7 [5"]	Wg :	0 kg

Capacity Information

Capacity	756,82 kWatt	Heat Transfer Surface	1796,77 m ²
Liquid	Ethylene Glycol + Water / %25	Tube Volume	213,8 dm ³
Air Inlet Temperature / Relative Humidity	35.00 °C / 50 %	Fin Spacing	2.5 mm
Liquid Inlet / Outlet Temperature	55.00 /50.00 °C	Fin Material	Aluminum
Liquid Flow Rate / Liquid Side Pres. Loss	136,9 m ³ / h / 46,77 kPa	Tube Material	Copper
Number of Pass	2	Test Pressure	15.00 bar
Altitude	0 m	Energy Efficiency Class	E

Fan Specifications

Air Flow	215756,5 m ³ /h	Sound Power Level (LWA)	104 dBA
Fan Diameter	ø 910 mm-AC FANS	Sound Pressure Level (LPA)	72 dBA
Number Of Fan	8 Pcs	Distance	10 m
Total Fan Power	22.4 kW	Insulation Class	F
Total Fan Current	43.2 A	Protection Class	IP54
Voltage / Frequency / Phase	400 V / 50 Hz / 3 Phase	Temperature Range	-40/+55 °C
Fan Speed	840 d/d		